



# Rechargeable worklight *UltraXL*

- Petro- and chemical industry
- Sewages and tunnels
- Aircraft building and maintenance
- Painting



**Best range of  
portable floodlights**

# Rechargeable *UltraXL*

**Saving from day 1:** No transformer, cable or plugs needed: one person carries all. No on-site electrician needed.

- ✓ Work light with wide beam
- ✓ Operating time 12 hours at full power
- ✓ 3200 lumen
- ✓ Only 6 kg
- ✓ Maintenance free batteries



Rechargeable



Operating time 12 hours



## History

The **UltraXL** is a further development of the Ultra2. The Ultra2 was developed for Necplus by Artidor and came onto the market in 2017. The Ultra2 was the only ATEX rechargeable flood light with continuous 3200 lumens for eight hours. This combined with the incredible low weight of 5.6 kg made the lamp the only tool to illuminate difficult to reach places. In 2023 Necplus merged with Atexindustries, while the **UltraXL** was being developed. The main difference: continuous 3200 lumens for twelve hours.

# Accessories



## Magnet set

For easy placing the UltraXL to a wall, beam, sheet or other magnetic object, use this solution. Three strong magnets connected to a stainless steel frame. The magnets are covered to avoid sparking and are flexibly connected to the frame to adjust automatically to curved, bumpy or rusty surfaces.



## Scaffolding hook

To secure the UltraXL on a horizontal bar.



## Leather Pouch

Keeps hands free thanks to this carrying pouch. Use the custom made leather pouch on your shoulder. Full grain leather of 2.5 mm. Including leather strap. Buckles and metal parts in stainless steel. Side pocket for charger.



## Subframe and Tripod

To position the light towards any object. Tilts the lamp up to 270°. Easy adjustment through one knob.

To be combined with the tripod. Height adjustable from 1,38 meter to 2,50 meter.



## Shockproof case

Carry all you need in this shockproof case.



<b>Watts</b>	23W
<b>Source</b>	81 LEDs, 5000°K
<b>Lumen</b>	3200
<b>Operating time</b>	12 h
<b>Chargetime</b>	up to 12 h.
<b>Battery</b>	Lithium Polymer (LiPo) 260Wh
<b>Composition</b>	Throughout antistatique polypropylene, metal frame, stainless steel bolts
<b>Lens materials</b>	Scratch and chemical resistant hardened glass with safety and diffusor foil
<b>Design</b>	<ul style="list-style-type: none"> <li>• By design easy to handle, also with gloves on.</li> <li>• By design easy stackable to save space.</li> </ul>
<b>Dimensions</b>	388 x 319 x 147 mm
<b>Weight</b>	Only 6 kg
<b>Ingress protection level</b>	IP65 according to EN 60529
<b>Product category</b>	2
<b>Ex-marking gas</b>	II 2 G Ex eb ib IIC T4 Gb
<b>Ex-marking dust</b>	II 2 D Ex ib tb IIIC T135°C Db
<b>Zones</b>	1, 2, 21 and 22
<b>Ambient temperature</b>	-20°C to +45°C
<b>Eye safety</b>	Complies with photobiologicalsafety as defined in the IEC 62471 standard
<b>Conformity</b>	2014/34/EU (ATEX) 2014/30/EU (EMC)
<b>Applicable standards</b>	EN 60079-0:2018 EN 60079-7:2015 + A1:2018 EN 60079-11:2023 EN 60079-31:2014
<b>Charger</b>	Floodlight supplied with charger. It includes a number of attachments that can be used in all European wall sockets.
<b>Supply voltage charger</b>	100 to 240 VAC, 50/60 Hz
<b>Charging</b>	Charging only in safe area

Data and pictures approximately only. Can be changed without prior notice.

## Product number UltraXL

6062400

## Partnumbers Accessories

**6920357** Magnetset. Three spark free magnets on bracket.

**6921003** Antistatic protective film

**6960430** Stainless steel sub frame

**6960516** Stainless steel tripod

**6960420** Stainless steel scaffolding hook with locking device

**6960440** Leather satchel for handsfree carrying

**6960450** High end transportation case of copolymer

For more information, please visit our website: [atexindustries.com](http://atexindustries.com)

Please contact with your dealer: